

A & A Global Resources Pick-To-Light Catalogue



A & A Global Resources Pvt. Ltd.

327, SIDDHARTH TOWER, 12/3B, Paschimanagri, Kothrud, Pune, Maharashtra 411038

Email: agate@smt-india.com sales@smt-india.com

Contact: +91 93255 44783 +91 98231 41496

Distributed PTL Solution – Electronic Picking Labels(tags)

Most common PTL application

Many options/types

Installation position can be adjusted arbitrarily.

It is often used in application such as dismantling and picking and assembly stations.



Optional types:

Button Light: **7-color** indication.

Display content: 0 digit, 3 digit, 4 digit, 6 digit, text display.

Confirm trigger: Button, sensor, lever.



Distributed PTL Solution – PVR Detection Grating

Functions: sensing and indicating.

Principle of specular reflection, has outstanding performance

Often used in assembly workstation, which will guide picking of material in sequence and guide the picking quantity

If there is any error, the warning light will turn red.



Optional types:

Lights (**no button**): 7-color indication.

Display content: 2 digit, 3 digit.

Number of sensing optical axes: 2, 4, 8.



Distributed PTL Solution – Intelligent Interaction Indicator(sensor)

Features:

High brightness

High-reliability

Durability



Optional types:

Button Light: 7-color indication.

Diameter of lamp: 50mm.

Confirm trigger: Sensing, Touching, Pressing.



All-in-one PTL Solution – Pick Bar

Economical PTL

Application: scenarios that do not need to adjust storage location.

PickBar-L0 (no button) , PickBar-P0 (with button)



PickBar-L3 (no button) , PickBar-P3 (with button)

Optional types:

Button light: 7-color indication.

Display content: 0 digit, 3 digit.


Confirm trigger: button, none (Optionalal button with light or just light).



Dense PTL Solution – Light Bar

Dense PTL product

Often use to make intelligent racks or intelligent cabinets.



I N T E L L I G E N T



Smart reel Rack



Shaped material Rack



Feeder Cart



Stencil Cabinet



Moisture-proof cabinet

Optional types:

Button light: 7-color indication. 20m light-to-light distance

Indicator: Supports customization.

Confirm trigger: scan QR code, Sensing.